

ผลิตภัณฑ์ เรื่องราวเกี่ยวกับเอปสัน บริการหลังการขาย

ค้นหา

ผลิตภัณฑ์ทั้งหมด หมึกและกระดาษ การทดสอบและรางวัลที่ได้รับ โปรแกรมขั้นและ กิจกรรม สถานที่จำหน่าย

หน้าแรก

หน้าแรก > [พรินเตอร์และมัลติฟังก์ชันพรินเตอร์](#) > [คีย์บอร์ด](#) > [พรินเตอร์](#) > **EPSON LQ-310**[Share](#) |**EPSON LQ-310**[ภาพรวม](#) | [สเปค](#) | [ผ้าหมึกและอุปกรณ์เสริม](#) | [ไดรเวอร์และการบริการ](#)

ราคาตลาดแนะนำ (รวมภาษีมูลค่าเพิ่ม): **8,190 บาท**

สถานที่จำหน่าย

รหัสผลิตภัณฑ์: **C11CC25351**

[พิมพ์](#)

ติดต่อเรา


ฝ่ายบริการลูกค้า
เอปสัน สอท.ไลน์
โทร : 662-685-9899

สำนักงานใหญ่
โทร : 662-685-9888
แฟกซ์ : 662-670-0688

จ.-ศ. 8.30-17.30 น.
(เว้นวันหยุดราชการ)

MODEL NUMBER		LQ-310	
Printing Technology			
Print Method	Impact dot matrix		
Number of Pins in Head	24 pins		
Print Direction	Bi-direction with logic seeking		
Control Code	ESC/P2 and IBM PPDS emulation		
Print Speed			
High Speed Draft	10/12 cpi	347 / 416 cps	
Draft	10/12/15 cpi	260 / 312 / 390 cps	
Draft Condensed	17/20 cpi	222 / 260 cps	
LQ	10/12/15 cpi	86 / 103 / 129 cps	
LQ Condensed	17/20 cpi	147 / 172 cps	
Print Characteristics			
Character Sets	Italic table, PC437 (US Standard Europe), PC850 (Multilingual), PC860 (Portuguese), PC861 (Icelandic), PC863 (Canadian-French), PC865 (Nordic), Abicomp, BRASCII, Roman 8, ISO Latin 1, PC 858, ISO 8859-15		
Bitmap Fonts	Epson Draft: 10, 12, 15 cpi; Epson Roman & San Serif: 10, 12, 15 cpi, Proportional; Epson Courier: 10, 12, 15 cpi; Epson Prestige: 10, 12 cpi; Epson Script, OCR-B, Orator & Orator-S: 10cpi; Epson Script C: Proportional		
Barcode Fonts	EAN-13, EAN-8, Interleaved 2 of 5, UPC-A, UPC-E, Code 39, Code 128, Postnet		
Printable Columns			
Pitch	10/12/15/17/20 cpi	80 / 96 / 120 / 137 / 160 cpl	
Paper Handling			
Paper Path			
Tractor	Rear in, Top out		
Manual Insertion	Rear in, Top out		
Paper Size	Length	Width	Thickness
Cut Sheet (Single Sheet)	100 - 364mm (3.9 - 14.3")	100 - 257mm (3.9 - 10.1")	0.065 - 0.14mm (0.0025 - 0.0055")
Cut Sheet (Multi Part)	100 - 364mm (3.9 - 14.3")	100 - 257mm (3.9 - 10.1")	0.12 - 0.32mm (0.0047 - 0.0126")
Envelope (No.6)	92mm	165mm	0.16 - 0.52mm

	(3.6")	(6.5")	(0.0063 - 0.0205")
Envelope (No.10)	105mm (4.1")	241mm (9.5")	0.16 - 0.52mm (0.0063 - 0.0205")
Continuous Paper (Single Sheet and Multi part)	101.6 - 558.8mm (4.0 - 22.0")	101.6 - 254.0mm (4.0 - 10.0")	0.065 - 0.32mm (0.0025 - 0.0126")
Roll Paper	NA	216mm (8.5")	0.07 - 0.09mm (0.0028 - 0.0035")
Paper Feeding			
Standard	Friction, Push Tractor		
Optional	Roll Paper Holder		
Copies	Original + 3 copies		
Line Spacing	4.23mm (1/6") or programmable in increments of 0.118mm (1/216")		
Input Data Buffer	128KB		
Interface			
Standard	Bi-directional parallel interface (IEEE-1284 nibble mode supported) USB 2.0 Full-Speed Serial		
Ribbon Cartridge			
Standard	Fabric Ribbon Cartridge (Black)		
Ribbon Life	Approx. 2.5 million characters (Draft 10cpi, 48 dots/character)		
Acoustic Noise	Approx. 53dB(A) (ISO 7779 pattern)		
Reliability			
Mean Print Volume Between Failure (MVBF)	Approx. 20 million lines (Except print head)		
Mean Time Between Failure (MTBF)	Approx. 10,000 POH (25% Duty)		
Print Head Life	Approx. 400 million strokes/wire		
Control Panel	4 switches and 5 LEDs		
Environmental Conditions (Operating)			
Temperature	5 ~ 35°C		
Humidity	10 ~ 80% RH		
Electrical Specification			
Rated Voltage	AC 120V / AC 220 - 240V		
Rated Frequency	50Hz - 60Hz		
Power Consumption			
Operating	Approx. 22W (ISO/IEC 10561 Letter pattern),(ENERGY STAR compliant)		
Sleep Mode	Approx. 1.0W (120V) / 1.3W (230V)		
Auto Off Mode	Approx. 0.5W		
Power Off	0W		
Printer Driver / Utility			
Operating System	Microsoft® Windows® 2000 / XP / 7, Microsoft® Windows Vista®		
Utility			

Epson Status Monitor 3	Microsoft® Windows® 2000 / XP / 7, Microsoft® Windows Vista®
Epson Printer Setting	Microsoft® Windows® 2000 / XP / 7, Microsoft® Windows Vista®
Dimensions and Weight	
<p>Weight: Approx. 4.1kg (9.0lb)</p>  <p>154mm (6.1")</p> <p>275mm (10.8")</p> <p>362mm (14.3") - 348mm (13.7") exclude knob</p>	

Epson Genuine
Supply Delivery ▶▶



หมึกแท้ ส่งถึงที่

Careers
ร่วมงานกับเอปสัน



ดูรายละเอียดตำแหน่งงาน

พบกับตัวแทนจำหน่าย EPSON
TM Printer



หน้าแรก

หน้าแรก | เกี่ยวกับเอปสัน | งานที่เอปสัน | ห่วงข่าว | ติดต่อเรา | สถานที่จำหน่าย | ตัวแทนจำหน่าย

[Share](#) |

นโยบายสิทธิส่วนบุคคล | เงื่อนไขการใช้งาน | สงวนลิขสิทธิ์สำหรับเอปสัน (ประเทศไทย) จำกัดเท่านั้น